

1. An otolaryngologist performs a removal of a 3cm tumor present on the patient's face. The tumor is removed from the deep facial layers within the muscle. What CPT® are reported?
 - a. 21015
 - b. 21016
 - c. 21014
 - d. 21012
2. A surgical preparation of a 25 sq cm wound on the right leg is performed with a 25 sq cm wound on the left leg
What CPT® is reported?
 - a. 15002 x 2
 - b. 15004 x 2
 - c. 15002
 - d. 15004
3. What CPT® Coding reports the destruction of 20 premalignant lesions by laser surgery?
 - a. 17000, 17003, 17004
 - b. 17004
 - c. 17004-22
 - d. 17000, 17003 x 20
4. A patient with three thyroid nodules is seen for FNA biopsy. Using ultrasound guidance, the provider inserts a 25-gauge needle into each nodule. Nodular tissue is aspirated and sent to pathology.
What CPT® is reported?
 - a. 10005, 10006 x2, 76942
 - b. 10005, 10006 x2
 - c. 10021, 10004 x 2, 76942
 - d. 10006 x 3
5. A dermatologist excises a basal cell lesion from an area of the scalp. Measuring 3.7 cm. this is closed with a layered repair
What CPT® and ICD 10CM codes are reported?
 - a. 11424, 12032, C44.41
 - b. 11624, 12032, C44.41
 - c. 11624, C44.399
 - d. 11424, D23.4
6. A foreign body is removed via incision from the left third metatarsal joint
What CPT® is reported?
 - a. 28020
 - b. 28190
 - c. 28192
 - d. 28022
7. A 65 year old with lymphoma is having an insertion of central venous catheter via the right subclavian vein. The catheter is inserted just below the right clavical. Under fluoroscopic visualization the catheter tip was placed in the superior vena cava above the right atrium. Dissection of the deltopectoral area was performed with cautery down to the pectoralis fascia level. The central venous catheter was then tunneled from the insertion site to the pocket and attached to a port, which was placed in the pocket. The incision site is then closed.

What central venous access procedure is reported?

- a. 36569
- b. 36558
- c. 36556
- d. 36561

8. A patient has malfunctioning ventricular electrode. The operative reports reflects that the cardiologist made an incision into the subclavicular pocket. Which housed a single chamber pacemaker. He detached the malfunctioning ventricular electrode, removed it from the patient, and made decision to have a thoracic surgeon implant an epicardial lead later in the day (no new hardware was implanted). He then closed the skin pocket with multiple layers of sutures.

What CPT® code is reported for cardiologist service?

- a. 33236
- b. 33235
- c. 33249
- d. 33234

9. A patient has lung cancer in his lower right lobe. The patient is in the operating suite to have a video-assisted thoracoscopic surgery (VATS). A 10 mm zero degree thoracoscope was inserted in the right pleural cavity. Removal of total right lower lobe with the mass is performed. Inspection of the lung revealed normal pulmonary parenchyma. Scope is removed, inserted a chest tube and patient was extubated than transferred to the surgical intensive care unit for observation. What CPT® is reported?

- a. 32663, 32601-51
- b. 32666
- c. 32671
- d. 32663

10. A patient is seen at the doctor's office for nausea, vomiting and sharp abdominal pain. come back indicating an increased WBC count. The physician determines the patient has acute appendicitis. The physician schedules an appendectomy and takes the patient to operating room. A scope is inserted through an umbilical incision. Trocars and ports are inserted. The appendix is severed from the intestines and removed. What CPT® and diagnosis codes are reported?

- a. 44950, K35.891
- b. 44970, K35.80, R11.2, R10.9
- c. 44950, K35.890, R11.2, R10.9
- d. 44970, K35.80

11. An Ob-gyn examines the cervix and upper/adjacent portion of the vagina with a colposcope. Biopsies on the lesions in the cervix are performed

What CPT® code is reported?

- a. 57460
- b. 57454
- c. 57421
- d. 57455

12. The phalanx is

- a. Bone
- b. Muscle

- c. Tendon
 - d. Ligament
13. Which of the following is a function of ventricles of the brain?
- a. Transmit neurosignals to the spinal cord
 - b. Fuse the skull bones of young children
 - c. Increase its surface area
 - d. Manufacture and distribute cerebrospinal fluid
14. Which entity offers compliance program guidance to form the basis of voluntary compliance program for a provider practice?
- a. American Medical association (AMA)
 - b. Office of Inspector General (OIG)
 - c. Office for Civil Rights (OCR)
 - d. Centers for Medicare and Medicaid Services(CMS)
15. A 6 year old fell of the jungle gym and hit her head. The injury resulted in a subdural hematoma. She has been unconscious for last 60 minutes. The surgeon drills three burr holes in the skull over the affected area. The dura mater is exposed and the burr holes are used to access and drain the hematoma
What CPT® and ICD codes are reported?
- a. 61108 x 3, S05.5X3A, W09.2XXA
 - b. 61154, S06.5X3A, W09.2XXA
 - c. 61108, S06.5X2A, W09.2XXA
 - d. 61154 x 3, S06.5X2A, W09.2XXA
16. The physician prescribes carbamazepine to treat a patient with epileptic seizures. After six months the physician performs a therapeutic drug test to monitor the total level of drug in the patient.
What CPT® and ICD-10-CM coding is used for six month evaluation?
- a. 80157, R56.9
 - b. 80156, R56.9
 - c. 80156, G40.909
 - d. 80157, G40.909
17. Bob had an upper respiratory viral illness with severe coughing a month ago. The symptoms of the viral illness have been resolved for over two weeks. A few days after a bad coughing spell, he developed hiccups occurring episodically through out the day and night. He is seen by his family physician and the hiccups are determined to be physical origin, related to severe episodes of coughing.
What is the ICD-10CM Codes for this condition?
- a. B33.0
 - b. R06.0
 - c. B34.9
 - d. F45.8
18. A women with right breast cancer had a mastectomy six months ago. She sees her oncologist and is told the cancer was removed successfully. she is still continuing her chemotherapy with two more treatments remaining.
Using ICD-10CM guidelines for neoplasm. Which code is reported for visit of oncologist?
- a. Z85.3, Z90.11
 - b. C50.911, Z90.11

- c. Z51.11, C50.911, Z90.11
 - d. Z80.3, Z90.11
19. A foreign body is removed via incision from the left third metatarsal joint?
- a. 28020
 - b. 28190
 - c. 28192
 - d. 28022
20. Which coding option is correct for 1 hour of crisis psychotherapy for a child abuse victim with state agency report?
- a. 90838
 - b. 90839
 - c. 90791
 - d. 90845
21. The patient has allergic reaction to a bee sting and sees his internist for an injection with an antigen mix to treat the condition. The provider supplies the allergy serum and three injections are performed in the office
What CPT® is reported?
- a. 95199
 - b. 95120
 - c. 95147
 - d. 95132
22. An established patient suffering from migraines without aura, no mention of status migrainosus is seen by his ophthalmologist who conducts a visual field examination of both eyes. The examination was accomplished plotting four isopters utilizing the Goldmann perimeter testing method. The patient and requesting physician receives the interpretation and report on the same date of service
What procedure and diagnosis codes are reported?
- a. 92083, G43.019
 - b. 92082, G43.009
 - c. 92081, G43.009
 - d. 92082, G43.019
23. A 4 year old is seen by her pediatrician for vaccinations. The pediatrician counsels the mother about the importance of the vaccinations and administers the influenza IIV 4(1 component) by intramuscular route and MMR (3 component combination) by subcutaneous route
According to CPT® guidelines, What CPT codes are reported?
- a. 90460 x2, 90685, 90707
 - b. 90460 x 2 , 90461 x 2, 90685, 90707
 - c. 90460, 90461, 90685, 90707
 - d. 90460, 90461 x3, 90685, 90707
24. Mr. Lange is 42 year old gentlemen who saw Dr. Wong last week for his yearly physical. At that visit his BMI was 32. Lab tests were ordered. And Mr. Lange returns today to discuss lab results and counseling on the risk of obesity. Dr. Wong discussed Mr. Lange's family history of obesity, healthy and food choices and exercise. He recommended a program in the community offering individual nutrition advice and an individual exercise program. The visit lasted 45 minutes.

How would to report Dr. Wong report this visit?

- a. 99412
- b. 99403
- c. 99407
- d. 99409

25. Primary care provider, Dr. Russell, internal medicine

Physician services provided and documented by Dr. Rogers, internal medicine physician (substituting for Dr. Russell while he is on leave for medical conference)

Patient : Kate Johns

DOS: 1/2/20xx

Patient is a 26 year old female who is an established patient of Dr. Russell. she is seen today for upper quadrant pain. Especially after a fatty meals. This is not a new problem, how ever the episodes of pain is increasing. Dr. Rogers documentation shows a medically appropriate history and exam. An abdominal ultrasound LFT's and CBC were ordered to rule out cholecystitis.

What CPT® is reported?

- a. 99214-Q6
- b. 99214
- c. 99204-Q6
- d. 99204

26. Dr. X sees a established patient in his office and on the same day, transfers the patient to the observation status in the hospital with a diagnosis of type 2 diabetes mellitus with hyperglycemia (Blood sugar 900). He performs a comprehensive history and comprehensive exam. He evaluates the patient's newly diagnosed type 2 diabetes and orders blood glucose levels to be monitored. He prescribes an insulin drip along with SQ insulin. The medical decision making (MDM) moderate complexity. On the day two of the observation admission the physician performs detailed history, detailed exam and straight forward MDM and his documentation indicates that the patient's glucose level have improved. He places an order for the dietician to see the patient. On day three of observation the provider discharges the patient home

What E/M coding is reported by the physician for the patient in observation care?

- a. 99235, 99238
- b. 99215, 99226, 99217
- c. 99219, 99226, 99217
- d. 99222, 99231, 99238

27. Case

EXAM: X ray lumbar spine

INDICATION FOR PROCEDURE: Nontraumatic low back pain

TECHNIQUE: Six views of the lumbosacral spine and bending views

FINDINGS: Five non rib bearing lumbar type vertebrae. There is disk space narrowing and endplate sclerosis with spurring most pronounced at the L2-L3 and L3-L4 level on the left vertebral body heights are maintained. Spinal alignment is normal.

Impression: Lumbar spondylosis at L2-L3 and L3-L4 levels

what ICD and CPT® codes are reported?

- a. 72084-26, 72120-26, M47.816
- b. 72084-26, M47.817, M54.50



- c. 72114-26, M47.816
d. 72114-26, 72120-26, M47.817, M54.50
28. Chief Complaint: Vomiting
This started just prior to arrival and is still present. He has had nausea and vomiting no diarrhea, black stools, bloody stools or abdominal pain. Pt is diabetic and has been having elevated blood sugars (320 mg/dl)
REVIEW OF SYSTEMS: Unobtainable due to patient's altered mental status
PAST HISTORY: poorly controlled diabetes mellitus and history of poor compliance
Medications: see nurse notes
Allergies: PCN
Social history : Non smoker, no alcohol use or drug use
ADDITIONAL NOTES: The nursing notes have been reviewed
PHYSICAL EXAM:
Appearance: Lethargic patient is in mild distress
Vital signs: Have been reviewed – tachycardiac
Eyes: Pupils equal round and reactive to light
ENT: dry mucous membranes are present
Neck: normal inspection, neck supple
CVS: tachycardia, heart sounds normal, pulses normal

ED course: insulin IV drip per protocol at 10units/hr

Zofran 8mg 01.33 jul 13 2008 IVP

Phenergen 25 mg IVP 07.52 discussed the case with physician Dr, X review

Agreed upon treatment plan: physician will see patient in hospital

Total critical care time: 45 min

Disposition: admitted to intensive care unit. Condition : Stable

Admit decision based on need for monitoring and IV hydration and medications

Clinical impression: vomiting, diabetic ketosis, diabetic insipidus

What E/M code is reported?

- a. 99291
b. 99285
c. 99291,99292
d. 99222
29. A 5 year old patient has a fractured radius. The orthopedist provides moderate sedation and the reduction. The time is documented as 21 minutes
What CPT* is reported for moderate sedation?
a. 99156
b. 99152
c. 99151
d. 99155
30. A Medicare patient that is on dialysis for ESRD is seen by the nurse for Hep B vaccination. This patient is given a dialysis patient dosage as part of a three dose schedule. The nurse administers the the Hep B vaccine right deltoid. The physician reviews the chart and signs off on the nurses's note
What procedure and diagnosis codes are reported for scheduled vaccine injection for medicare patient?

- a. 90471, 90746, Z23, B19.10, N18.6, Z99.2
 - b. 90471, 90746, Z23, N18.6, Z99.2
 - c. G0010, 90740, Z23, N18.6, Z99.2
 - d. 99211-25, G0010, 90740, B19.10, N18.6, Z99.2
31. A business requires drug testing for cocaine and methamphetamines prior to hiring a job candidate. A single analysis with direct optical observation is performed followed by a confirmation for cocaine
- What codes are used for reporting the testing and confirmation?
- a. 80306 x 2, 80353
 - b. 80306, 80375
 - c. 80305, 80353
 - d. 80305 x2, 80353
32. Pam presented to the emergency room with abdominal pain and vomiting. After an exam and X rays. She is admitted to observation status to be given intravenous fluids and consult with surgeon
- Which E/M category is reported?
- a. Initial observation
 - b. Consultation
 - c. Emergency department
 - d. Initial hospital
33. The patient is taken to the radiology department for radiologic cardiac catheterization. An acute MI of the left anterior descending coronary artery is found. The cardiologist performs a suction, thrombectomy. Followed by arterectomy and a stent to the artery. A CRNA provides MAC for this patient. Who is status 5
- What code/modifier combination would you report for the services of CRNA?
- a. 01925-QZ-P5
 - b. 00520-QX-QS -P5
 - c. 00520, QZ-P5
 - d. 01925-QZ-QS-P5
34. Blood from the right ventricle is pumped through the pulmonary semilunar valve and eventually into the lungs through which of the following?
- a. Aorta
 - b. Pulmonary vein
 - c. Superior vena cava
 - d. Coronary sinus
35. A patient with surgical excision to treat melanoma on his chest wall two days ago, now returns to operating room for planned free myocutaneous flap with microvascular anastomosis. Dr. Smith repaired the defect with use of an operating Microscope
- What CPT® and ICD 10CM codes are reported?
- a. 15757-78, 69990, C44.509
 - b. 15756-58, 69990, C43.59
 - c. 15756-78, C44.509
 - d. 15756-58, C43.59
36. A 35 year old is coming for trigger point injections for right sided thoracic spine pain. Three points are injected with Depo-Medrol 40mg/ml on the rhomboid major muscle under fluoroscopic guidance

















































































































































